



宁波诺方特自动化有限公司
NINGBO NOFONTE AUTOMATION CO.,LTD.

📍 浙江省宁波市奉化区溪口镇康岭工业园区

☎ +86 153 5511 9066

☎ 0574-88811729

✉ nbnftpc@163.com

🌐 www.airnfpc.com



官方微信



宁波诺方特自动化有限公司
NINGBO NOFONTE AUTOMATION CO.,LTD.

关于诺方特

ABOUT NOFONTE

宁波诺方特自动化有限公司（NFPC），是国家高新技术企业，始创于2001年，现为奉化气动工业协会核心会员单位。公司始终专注于电磁阀及气动元件的研发制造，为全球客户量身定制气动控制技术解决方案。企业以现代化智能生产基地为依托，配备进口高精度数控加工中心及全自动检测系统。通过ISO9001质量体系认证的产品已成功应用于纺织机械、智能装备、电子医疗、新能源等多个产业领域。秉承“智造精工，驱动未来”的企业使命，我们构建起“研发-生产-服务”三维一体的运营体系。凭借定制化产品开发能力和智能化系统集成优势，已为多家企业提供涵盖气动控制、流程优化、自动化升级的全周期解决方案，以技术创新实现客户价值最大化。

Ningbo Nofonte Automation Co., LTD. (NFPC), a national high-tech enterprise, was founded in 2001. The company has always been dedicated to the research and development and manufacturing of solenoid valves and pneumatic components. It is equipped with imported high-precision CNC machining centers and fully automatic detection systems. The products that have passed the ISO9001 quality system certification have been successfully applied in multiple industrial fields. Tailor-made pneumatic control technology solutions for global customers.



愿景:
成为国际知名的气动制造企业



价值:
质量、责任、信任是NFPC的生命



企业历程

Company History





电磁阀 Solenoid valve

- 是自动化控制系统中不可或缺的关键流体控制元件
It is an indispensable key fluid control component in the automatic control system
- 位置数：二位二通、二位三通、二位五通、三位五通
Number of positions: two-position two-way, two-position three-way, two-position five-way, three-position five-way
- 接管口径：M5、G1/8"、G1/4"、G3/8"、G1/2"
Takeover caliber: M5、G1/8"、G1/4"、G3/8"、G1/2"

N3/5V100-400系列
N3/5V100-400 Series



N3V110-06



N5V220-08



N5V330C-10



N5V410-15

N3/4/5M200-500系列
N3/4/5M200-500 Series



N4M210-08



N4M310-08转换



N3M310-08



N5M510-15

MVSC200-400系列
MVSC200-400 Series



MVSC300-4E2P



MVSC460-4E1

白色N5V系列
White N5V Series



N5V110-06



N5V210-08

VF系列
VF Series



VF3130



VF5220



VF3230

3V1/3V2/3V3/VT307系列
3V1/3V2/3V3/VT307 Series



3V1-06



3V2



VT307

2P/组阀/排阀系列
2P/ Group valve/Row valve series



2P025-06



4V210-4联阀组



排阀

铜阀/电子排水器系列
Copper valve/electronic drain series



2W250-25



OPT-A



2S160-15

气控阀 Pneumatic control valve



- 是气动控制回路中实现逻辑控制、动作切换的核心元件
It is the core component for realizing logical control and action switching in the pneumatic control circuit
- 位置数：二位三通、二位五通、三位五通
Number of positions: two-position three-way, two-position five-way, three-position five-way
- 接管口径：M5、G1/8"、G1/4"、G3/8"、G1/2"
Takeover caliber: M5、G1/8"、G1/4"、G3/8"、G1/2"

N3/4A100-400系列
N3/4A100-400 Series



N3A110-06



N4A230C-08



N3A320-08



N4A410-15

机械手动阀 Mechanical manual valve



- 通过人工直接施加机械力来驱动阀芯运动，控制流体通断、流向或流量的基础阀门
A basic valve that drives the valve core to move by directly applying mechanical force manually, controlling the on-off, flow direction or flow rate of the fluid
- 位置数：二位三通、二位四通、二位五通、三位五通
Number of positions: two-position three-way, two-position four-way, two-position five-way, three-position five-way
- 接管口径：M5、G1/8"、G1/4"、G3/8"、G1/2"
Takeover caliber: M5、G1/8"、G1/4"、G3/8"、G1/2"

N4H100-400系列
N4H100-400 Series



N4H110-06



N4HA230C-08



N4H330C-10L



N4H410-15

N3/4R100-400系列
N3/4R100-400 Series



N3R110-06



N4R210-08



N4R210-08-A



N3R310-08



N4R410-15

MSV系列
MSV Series



MSV86522LB



MSV86522PPL



MSV86522PB



MSV86522TB



N25110-06R

MOV系列
MOV Series



MOV-02



MOV-03



MOV-03A



JMJ-05



JMJ-06A

JMJ系列
JMJ Series

脚踏阀系列
Foot Pedal Valve Series



4F210-08



4F210-08LG



FV320



K34R8-L8D



4HV230-08

转阀系列
Rotary valve series



不锈钢元件 Stainless steel components

- 不锈钢元件是腐蚀/卫生环境的刚需，耐腐蚀(酸/碱/海水)、耐高温 ($\leq 150^{\circ}\text{C}$)
Stainless steel components are essential for corrosive and hygienic environments. They are resistant to corrosion (acids/alkalis/seawater) and high temperatures ($\leq 150^{\circ}\text{C}$).
- 不锈钢电磁阀 Stainless steel solenoid valve
位置数: 二位三通、二位五通、三位五通
Number of positions: two-position three-way, two-position five-way, three-position five-way
接管口径: G1/8"、G1/4"、G3/8"、G1/2"
Takeover caliber: G1/8"、G1/4"、G3/8"、G1/2"
- 不锈钢气源处理器 Stainless steel air source processor
接管口径: G1/4"、G3/8"、G1/2"、G3/4"、G1"
Takeover caliber: G1/4"、G3/8"、G1/2"、G3/4"、G1"

不锈钢电磁阀 Stainless steel solenoid valve



SSV210-08



SSV320-08(10)



SSM310-08



SSM320-08

不锈钢气源二联件 Stainless steel two-piece air source processor



SFRL200



SFRL400



SF200



SF600

不锈钢气源油雾器 Stainless steel air source oil mist device

不锈钢气源过滤器 Stainless steel air source filter



SL200



SL400



SFR400



SFR600

不锈钢气源调压过滤器 Stainless steel air source pressure regulating filter

不锈钢气源调压阀 Stainless steel air source pressure regulating valve



SR200



SR400



SR600

隔爆阀 Flameproof solenoid valve

- 专门用于易燃易爆危险环境的电磁阀
Solenoid valves specifically designed for flammable and explosive hazardous environments
- 位置数: 二位三通、二位五通、三位五通
Number of positions: two-position three-way, two-position five-way, three-position five-way
- 接管口径: G1/8"、G1/4"、G3/8"、G1/2"、G3/4"
Takeover caliber: G1/8"、G1/4"、G3/8"、G1/2"、G3/4"



YCV系列 YCV Series



YCV350M1



YCV350



YCV550M1

YCV系列 YCV Series



YCV560M1



YCV360M1



YCV350M2不锈钢

脉冲阀 Pulse valve

- 是除尘系统高效运行的核心执行器
It is the core actuator for the efficient operation of the dust removal system
- 位置数：二位二通
Number of positions: Two-position two-way
- 接管口径：G1/2"、G3/4"、G1"、G1¼"、G1½"、G2"、G2½"、G3"、G3½"
Takeover caliber: G1/2"、G3/4"、G1"、G1¼"、G1½"、G2"、G2½"、G3"、G3½"

ASCO型 AMF系列
ASCO Type AMF Series



AMF-Z-25



AMF-Z-40S



AMF-Z-62S

高原GOYEN型 GMF系列
Plateau GOYEN type GMF series



GMF-Z-40S



GMF-ZM-40S



GMF-Z-50S

袋式除尘配件型 DMF系列
DMF series of bag filter accessories



DMF-Z-25



DMF-Z-40S



DMF-Z-62S

气源处理器 Air source processor

- 是气动控制系统中的“空气净化与调节中枢”
It is the "air purification and regulation center" in the pneumatic control system.
- 接管口径：G1/4"、G3/8"、G1/2"、G3/4"、G1"
Takeover caliber: G1/4"、G3/8"、G1/2"、G3/4"、G1"

亚德客型内表气源件
AirTAC type air source component



GR200



GFR200



GFC200



GC200

SMC型气源件
SMC type air source component



AR2000



AW2000



AC3010



AC3000

FESTO型气源件
FESTO type air source component



OR



OFR



OU



OFC